





Articoli e dimensioni raccordi fusio-technik

Items and dimensions fusio-technik fittings




MANICOTTO saldatura a bicchiere
PIPE COUPLING socket welding

Articolo Item	DN	SDR	A mm	B mm	D mm	Peso Weight g	pezzi pieces	pezzi pieces
62008	20	5	14,8	29,5	31,0	11,0	10	400
62010	25	5	17,3	34,5	38,5	17,0	10	300
62012	32	5	21,8	43,5	43,5	28,5	5	150
62014	40	5	26,8	53,5	47,5	48,5	5	250
62016	50	5	34,0	68,0	54,5	85,0	5	150
62018	63	5	42,5	85,0	62,5	150,0	1	50
62020	75	5	55,0	101,0	67,0	228,0	1	60
62022	90	5	60,0	120,0	72,5	336,5	1	42
62024	110	5	74,0	147,0	80,5	601,5	1	24
62026	125	5	82,0	164,0	90,5	813,5	1	12




MANICOTTO RIDOTTO saldatura a bicchiere
REDUCED PIPE COUPLING socket welding

Articolo Item	DN	SDR	A mm	B mm	D mm	G mm	Peso Weight g	pezzi pieces	pezzi pieces
62312	F25-F20	5	17,3	29,5	34,0	34,5	13,0	10	400
62316	F32-F25	5	21,8	34,5	39,0	43,5	21,0	10	300



RIDUZIONE saldatura a bicchiere
REDUCER socket welding


Articolo Item	DN	SDR	A mm	B mm	D mm	H mm	G mm	Peso Weight g	pezzi pieces	pezzi pieces
62112	M25-F20	5	12,5	25,0	40,3	18,5	29,5	13,5	10	400
62114	M32-F20	5	16,0	32,0	39,5	18,5	29,5	18,5	10	300
62116	M32-F25	5	16,0	32,0	39,5	18,5	34,5	19,5	10	300
62118	M40-F20	5	20,0	40,0	42,0	21,0	29,5	38,0	5	500
62120	M40-F25	5	20,0	40,0	42,0	21,0	34,5	45,0	5	400
62122	M40-F32	5	20,0	40,0	42,0	21,0	43,5	53,0	5	300
62124	M50-F20	5	25,0	50,0	45,0	24,0	29,5	50,0	5	300
62126	M50-F25	5	25,0	50,0	45,0	24,0	34,5	60,0	5	300



RIDUZIONE saldatura a biccchiere

REDUCER socket welding

Articolo Item	DN	SDR	A	B	D	H	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
62128	M50-F32	5	25,0	50,0	45,0	24,0	43,5	65,0	5	300
62130	M50-F40	5	25,0	50,0	45,0	24,0	53,5	70,0	5	200
62132	M63-F25	5	31,5	63,0	57,0	30,0	34,5	80,0	1	150
62134	M63-F32	5	31,5	63,0	57,0	30,0	43,5	85,0	1	100
62136	M63-F40	5	31,5	63,0	57,0	30,0	53,5	90,0	1	100
62138	M63-F50	5	31,5	63,0	57,0	30,0	68,0	115,0	1	100
62139	M75-F40	5	37,5	75,0	65,5	32,5	53,5	135,0	1	100
62140	M75-F50	5	37,5	75,0	65,5	32,5	68,0	140,0	1	80
62142	M75-F63	5	37,5	75,0	65,5	32,5	85,0	200,0	1	80
62144	M90-F50	5	45,0	90,0	76,0	35,5	68,0	280,0	1	50
62152	M90-F63	5	45,0	90,0	76,0	35,5	85,0	290,0	1	50
62153	M90-F75	5	45,0	90,0	76,0	35,5	101,0	320,0	1	50
62155	M110-F63	5	55,0	110,0	90,0	39,5	85,0	350,0	1	30
62157	M110-F75	5	55,0	110,0	90,0	39,5	101,0	450,0	1	30
62159	M110-F90	5	55,0	110,0	90,0	39,5	120,0	450,0	1	30
62168	M125-F75	5	62,5	125,0	110,0	46,0	101,0	506,0	1	30
62170	M125-F90	5	62,5	125,0	110,0	46,0	120,0	550,0	1	30
62172	M125-F110	5	62,5	125,0	110,0	46,0	147,0	600,0	1	24



RIDUZIONE con codolo lungo saldatura testa a testa

REDUCER with long shank butt-welding

Articolo Item	DN	SDR	A	B	D	H	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
62173U	160-M90	11	80,0	160,0	233,0	110,0	90,0	1400,0	1	8
62174U	160-M110	11	80,0	160,0	233,0	106,0	110,0	1400,0	1	8
62176U	160-M125	11	80,0	160,0	214,0	102,0	125,0	1235,0	1	4
62180U	200-M125	11	100,0	200,0	320,0	125,0	125,0	2430,0	1	
62182U	200-160	11	100,0	200,0	240,0	118,0	160,0	2010,0	1	
62184U	250-160	11	125,0	250,0	300,0	135,0	160,0	3860,0	1	
62186U	250-200	11	125,0	250,0	300,0	140,0	200,0	3805,0	1	
62200U	315-250	11	157,5	315,0	381,0	173,0	250,0	7600,0	1	

Saldatura testa a testa *Butt-welding*

Articolo Item	DN	SDR	A	B	D	H	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
62173UZ	160-M90	17,6	80,0	160,0	226,0	105,0	90,0	1037,0	1	8
62174UZ	160-M110	17,6	80,0	160,0	226,0	105,0	110,0	1103,0	1	8
62176UZ	160-M125	17,6	80,0	160,0	226,0	105,0	125,0	1131,0	1	4
62180UZ	200-M125	17,6	100,0	200,0	240,0	114,0	125,0	1280,0	1	
62182UZ	200-160	17,6	100,0	200,0	240,0	118,0	160,0	1320,0	1	
62184UZ	250-160	17,6	125,0	250,0	300,0	135,0	160,0	2270,0	1	
62186UZ	250-200	17,6	125,0	250,0	300,0	140,0	200,0	2500,0	1	
62200UZ	315-250	17,6	157,5	315,0	380,0	170,0	250,0	5085,0	1	

RIDUZIONE con codolo corto saldatura testa a testa

REDUCER with short shank butt-welding

Articolo Item	DN	SDR	A mm	B mm	D mm	H mm	G mm	Peso Weight g	 pezzi pieces	 pezzi pieces
62214UZ	355-250	17,6	177,5	355,0	125,0	30,0	250,0	2490	1	
62216UZ	355-315	17,6	177,5	355,0	125,0	50,0	315,0	2420	1	
62244UZ	400-355	17,6	200,0	400,0	125,0	63,0	355,0	3020	1	

GOMITO 90° saldatura a banchiere

ELBOW 90° socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	Peso Weight g	 pezzi pieces	 pezzi pieces
63108	20	5	26,5	29,5	11,7	41,2	18,0	10	350
63110	25	5	30,0	34,5	12,7	47,2	23,0	10	250
63112	32	5	35,5	43,5	13,7	57,2	45,0	5	100
63114	40	5	43,0	53,5	16,2	69,7	77,0	5	150
63116	50	5	50,5	68,0	16,5	84,5	172,0	5	80
63118	63	5	61,0	85,0	18,5	103,5	312,0	1	40
63120	75	5	73,0	101,0	22,5	123,5	510,0	1	30
63122	90	5	80,5	120,0	20,5	140,5	800,0	1	18
63124	110	5	97,0	147,0	23,5	170,5	1492,0	1	10
63126	125	5	125,0	164,0	43,0	207,0	2060,0	1	5

Saldatura testa a testa Butt-welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	Peso Weight g	 pezzi pieces	 pezzi pieces
63128U	160	11	190,0	160,0	110,0	270,0	3018	1	3
63130U	200	11	250,0	200,0	154,0	354,0	5500	1	
63132U	250	11	300,0	250,0	175,0	425,0	10350	1	
63134U	315	11	391,5	315,0	234,0	549,0	18700	1	

Saldatura testa a testa, realizzato a settori con faser FIBER -LIGHT


Butt-welding, segmented fitting of faser FIBER-LIGHT

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	Peso Weight g	 pezzi pieces	 pezzi pieces
63128UCZ	160	17,6	240,0	160,0	160,0	320,0	1660	1	
63130UCZ	200	17,6	300,0	200,0	200,0	400,0	3240	1	
63132UCZ	250	17,6	375,0	250,0	250,0	500,0	6325	1	
63134UCZ	315	17,6	457,5	315,0	300,0	615,0	12240	1	
63136UCZ	355	17,6	477,5	355,0	300,0	655,0	16390	1	
63138UCZ	400	17,6	600,0	400,0	400,0	800,0	25880	1	



GOMITO 90° MASCHIO/FEMMINA saldatura a banchiere

ELBOW MALE/FEMALE 90° socket welding




Articolo Item	DN	SDR	A	B	C	E	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
63308	20	5	29,5	29,5	31,5	14,0	20,0	18,0	10	350
63310	25	5	30,0	34,5	34,5	15,5	25,0	27,0	10	250
63312	32	5	35,5	43,5	42,5	17,5	32,0	50,0	5	100
63314	40	5	43,0	53,5	49,5	20,0	40,0	88,0	5	150



GOMITO 45° saldatura a banchiere


ELBOW 45° socket welding



Articolo Item	DN	SDR	A	B	C	D	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	g		
63508	20	5	19,5	29,5	9,0	38,5	15,5	10	350
63510	25	5	21,6	34,5	9,0	43,5	22,0	10	250
63512	32	5	26,0	43,5	10,5	54,0	36,5	5	100
63514	40	5	30,0	53,5	12,0	65,5	67,0	5	150
63516	50	5	36,1	68,0	13,5	81,5	133,0	5	80
63518	63	5	45,4	85,0	17,5	102,5	251,0	1	40
63520	75	5	49,9	101,0	19,0	120,0	375,0	1	30
63522	90	5	53,3	120,0	19,0	139,0	616,0	1	18
63524	110	5	63,0	147,0	21,5	168,5	966,0	1	10
63526	125	5	78,0	164,0	21,0	185,0	1340,0	1	5




Saldatura testa a testa *Butt-welding*



Articolo Item	DN	SDR	A	B	C	D	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	g		
63528U	160	11	150,0	160,0	81,0	243,0	1870	1	3
63530U	200	11	195,0	200,0	107,0	308,5	4450	1	
63532U	250	11	232,0	250,0	126,0	377,5	7450	1	
63534U	315	11	318,0	315,0	176,0	494,0	16150	1	

Saldatura testa a testa, realizzato a settori con *faser FIBER-LIGHT*

Butt-welding, segmented fitting of faser FIBER-LIGHT




Articolo Item	DN	SDR	A	B	C	D	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	g		
63528UCZ	160	17,6	140,0	160,0	76,0	236,0	1125	1	
63530UCZ	200	17,6	175,0	200,0	95,0	295,0	2207	1	
63532UCZ	250	17,6	220,0	250,0	119,0	369,0	4298	1	
63534UCZ	315	17,6	268,0	315,0	143,0	458,0	8328	1	
63536UCZ	355	17,6	280,0	355,0	146,0	501,0	11053	1	
63538UCZ	400	17,6	352,0	400,0	190,0	590,0	17590	1	



GOMITO 45° MASCHIO/FEMMINA saldatura a banchiere

ELBOW MALE/FEMALE 45° socket welding



Articolo Item	DN	SDR	A	B	E	G	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	g		
63708	20	5	19,5	29,5	13,0	20,0	14,0	10	350
63710	25	5	21,5	34,5	15,0	25,0	24,0	10	250
63712	32	5	26,5	43,5	17,0	32,0	38,0	5	100



TEE saldatura a banchiere

TEE socket welding

Articolo Item	DN	SDR	A	B	C	D	E	F	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
64108	20	5	41,0	29,5	11,8	53,0	26,5	26,5	22,0	10	250
64110	25	5	47,0	34,5	12,8	60,0	30,0	30,0	33,0	10	150
64112	32	5	57,0	43,5	13,8	71,0	35,5	35,5	54,0	5	80
64114	40	5	69,5	53,5	16,3	86,0	43,0	43,0	99,0	5	100
64116	50	5	84,5	68,0	16,5	101,0	50,5	50,5	175,0	5	50
64118	63	5	103,5	85,0	18,5	122,0	61,0	61,0	371,0	1	30
64120	75	5	103,5	101,0	22,5	146,0	73,0	73,0	540,0	1	25
64122	90	5	140,0	120,0	20,0	160,0	80,0	80,0	924,0	1	16
64124	110	5	171,0	147,0	23,5	194,0	97,0	97,0	1611,0	1	10
64126	125	5	227,0	164,0	38,0	240,0	120,0	120,0	2655,0	1	4




Saldatura testa a testa Butt-welding


Articolo Item	DN	SDR	A	B	C	D	E	F	H	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
64128U	160	11	290,0	160,0	110,0	420,0	210,0	210,0	101,0	3800	1	2
64130U	200	11	345,0	200,0	123,0	490,0	245,0	245,0	115,0	7500	1	
64132U	250	11	432,0	250,0	153,0	614,0	307,0	307,0	142,0	13890	1	
64134U	315	11	545,5	315,0	255,0	776,0	388,0	388,0	178,0	26400	1	

Saldatura testa a testa, realizzato a settori con faser FIBER-LIGHT

Butt-welding, segmented fitting of faser FIBER-LIGHT


Articolo Item	DN	SDR	A	B	C	D	E	F	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
64128UCZ	160	17,6	320,0	160,0	160,0	480,0	240,0	240,0	1660	1	
64130UCZ	200	17,6	400,0	200,0	200,0	600,0	300,0	300,0	3240	1	
64132UCZ	250	17,6	500,0	250,0	250,0	750,0	375,0	375,0	6325	1	
64134UCZ	315	17,6	615,0	315,0	300,0	915,0	457,5	457,5	12240	1	
64136UCZ	355	17,6	655,0	355,0	300,0	955,0	477,5	477,5	16390	1	
64138UCZ	400	17,6	800,0	400,0	400,0	1200,0	600,0	600,0	25880	1	






TEE RIDOTTO saldatura a bicchiere *REDUCED TEE socket welding*

Articolo Item	DN	SDR	A	B	C	D	E	F	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
64218	20-25-20	5	47,0	34,5	13,0	60,0	30,0	30,0	42,6	10	150
64220	25-20-20	5	47,0	34,5	12,8	60,0	30,0	30,0	38,0	10	150
64222	25-20-25	5	47,0	34,5	12,8	60,0	30,0	30,0	35,5	10	150
64232	32-25-25	5	55,0	43,5	13,8	71,0	35,5	33,0	62,0	5	100
64234	32-20-25	5	55,0	34,5	18,3	71,0	35,5	33,0	61,0	5	100
64240	32-25-32	5	55,0	34,5	18,3	71,0	35,5	33,0	58,0	5	100
64242	40-20-40	5	62,0	34,5	25,8	86,0	43,0	35,3	102,5	5	120
64244	40-25-40	5	62,0	34,5	25,8	86,0	43,0	35,3	99,0	5	120
64245	40-32-32	5	70,0	53,5	16,3	86,0	43,0	43,0	123,5	5	100
64246	40-32-40	5	70,0	53,5	16,3	86,0	43,0	43,0	122,5	5	100
64247	50-20-50	5	78,0	34,5	33,3	101,0	50,5	44,0	225,0	5	60
64248	50-25-50	5	78,0	43,5	28,7	101,0	50,5	44,0	225,0	5	60
64250	50-32-50	5	78,0	43,5	28,7	101,0	50,5	44,0	225,0	5	60
64251	50-40-50	5	84,5	68,0	17,0	101,0	50,5	50,5	240,0	5	60
64252	63-20-63	5	95,0	34,5	43,8	122,0	61,0	52,5	410,0	1	35
64254	63-25-63	5	95,0	34,5	43,8	122,0	61,0	52,5	400,0	1	35
64256	63-32-63	5	95,0	53,5	43,8	122,0	61,0	52,5	410,0	1	35
64258	63-40-63	5	95,0	53,5	43,8	122,0	61,0	52,5	400,0	1	35
64260	63-50-63	5	103,5	85,0	18,5	122,0	61,0	61,0	465,0	1	30
64261	75-20-75	5	111,0	34,5	55,8	146,0	73,0	58,0	630,0	1	25
64262	75-25-75	5	111,0	34,5	55,8	146,0	73,0	58,0	630,0	1	25
64264	75-32-75	5	111,0	53,5	46,3	146,0	73,0	64,0	630,0	1	25
64266	75-40-75	5	115,5	53,5	46,3	146,0	73,0	64,0	630,0	1	25
64268	75-50-75	5	115,5	85,0	30,5	146,0	73,0	70,0	630,0	1	25
64270	75-63-75	5	123,5	85,0	30,5	146,0	73,0	70,0	680,0	1	16
64280	90-50-90	5	134,0	85,0	37,5	160,0	80,0	74,0	815,0	1	16
64282	90-63-90	5	134,0	85,0	37,5	160,0	80,0	74,0	780,0	1	16
64284	90-75-90	5	140,0	120,0	20,0	160,0	80,0	80,0	915,0	1	16
64286	110-63-110	5	159,5	101,0	46,5	194,0	97,0	85,7	1650,0	1	10
64288	110-75-110	5	159,5	101,0	46,5	194,0	97,0	85,7	1620,0	1	10
64290	110-90-110	5	171,0	147,0	23,5	194,0	97,0	97,0	1780,0	1	10
64294	125-90-125	5	227,0	120,0	62,0	244,0	122,0	104,0	2510,0	1	5
64296	125-110-125	5	214,0	147,0	48,5	244,0	122,0	110,0	2560,0	1	5



Saldatura testa a testa e a bicchiere per Ø 90, 110 e 125 mm *Butt-welding and socket welding for Ø 90, 110 and 125 mm*

Articolo Item	DN	SDR	A	B	C	D	E	F	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
64298U	160-90-160	11	394,0	90,0	165,0	420,0	210,0	314,0	160,0	5100	1	2
64299U	160-110-160	11	394,0	110,0	155,0	420,0	210,0	314,0	160,0	5100	1	2
64300U	160-125-160	11	394,0	125,0	147,5	420,0	210,0	314,0	160,0	5000	1	2
64302U	200-160-200	11	620,0	160,0	165,0	490,0	245,0	420,0	200,0	9500	1	
64306U	250-160-250	11	605,0	160,0	225,0	610,0	305,0	480,0	250,0	17800	1	
64307U	250-200-250	11	605,0	200,0	205,0	610,0	305,0	480,0	250,0	17800	1	
643094U	315-200-315	11	857,5	200,0	288,0	776,0	388,0	700,0	315,0	35500	1	
643096U	315-250-315	11	857,5	250,0	263,0	776,0	388,0	700,0	315,0	35200	1	



TEE RIDOTTO saldatura testa a testa e a bicchiere per Ø 125 mm, realizzato a settori con tubo faser FIBER-LIGHT

REDUCED TEE butt-welding and socket welding for Ø 90, segmented fitting of faser FIBER-LIGHT


Articolo Item	DN	SDR	A	B	C	D	E	F	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
64300UCZ	160-125-160	17,6	355,0	125,0	177,5	480,0	240,0	275,0	160,0	2784	1	
64302UCZ	200-160-200	17,6	400,0	160,0	220,0	600,0	300,0	300,0	200,0	4454	1	
64306UCZ	250-160-250	17,6	500,0	160,0	295,0	750,0	375,0	375,0	250,0	8170	1	
64307UCZ	250-200-250	17,6	500,0	200,0	275,0	750,0	375,0	375,0	250,0	9321	1	
643094UCZ	315-200-315	17,6	615,0	200,0	357,5	915,0	457,5	457,5	315,0	15765	1	
643096UCZ	315-250-315	17,6	615,0	250,0	332,5	915,0	457,7	457,5	315,0	18024	1	
643124UCZ	355-315-355	17,6	655,0	315,0	320,0	955,0	477,5	477,5	355,0	24041	1	
643154UCZ	400-355-400	17,6	800,0	355,0	422,5	1200,0	600,0	600,0	400,0	38914	1	



CROCE saldatura a bicchiere

CROSS socket welding


Articolo Item	DN	SDR	A	B	C	D	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	g		
64308	20	5	26,0	29,5	11,3	40,8	29,0	10	400
64310	25	5	30,0	34,5	12,8	47,3	37,0	10	300
64312	32	5	35,5	43,5	13,8	57,3	67,5	5	150
64314	40	5	42,0	53,5	15,3	68,8	114,5	5	80



TAPPO saldatura a bicchiere

COVER CAP socket welding


Articolo Item	DN	SDR	A	B	D	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	g		
65008	20	5	14,8	29,5	24,3	11,0	10	500
65010	25	5	17,3	34,5	26,5	13,5	10	450
65012	32	5	21,8	43,5	35,0	23,0	5	250
65014	40	5	26,8	53,5	37,7	45,0	5	350
65016	50	5	34,0	68,0	45,6	85,0	5	200
65018	63	5	42,5	85,0	55,8	160,0	1	80
65020	75	5	50,5	101,0	63,8	180,0	1	80
65022	90	5	60,0	120,0	73,3	305,0	1	50
65024	110	5	73,5	147,0	87,3	540,0	1	24
65026	125	5	82,0	164,0	93,0	860,0	1	12



TAPPO con codolo lungo saldatura testa a testa

COVER CAP with long shank butt-welding



Articolo Item	DN	SDR	A	B	D	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	g		
65028U	160	11	80,0	160,0	140,0	1060,0	1	5
65030U	200	11	100,0	200,0	175,0	2030,0	1	2
65032U	250	11	125,0	250,0	178,6	3300,0	1	
65034U	315	11	157,5	315,0	297,0	7200,0	1	







TAPPO con codolo lungo saldatura testa a testa COVER CAP with long shank butt-welding

Articolo Item	DN	SDR	A	B	D	Peso Weight	 confezione pack	 scatola box
			mm	mm	mm	g		
65028UZ	160	17,6	80,0	160,0	130,0	870,0	1	5
65030UZ	200	17,6	100,0	200,0	155,0	1800,0	1	2
65032UZ	250	17,6	125,0	250,0	156,0	2070,0	1	
65034UZ	315	17,6	157,5	315,0	200,0	4410,0	1	



TAPPO con codolo corto saldatura testa a testa COVER CAP with short tank butt-welding

Articolo Item	DN	SDR	A	B	D	Peso Weight	 confezione pack	 scatola box
			mm	mm	mm	g		
65036UZ	355	17,6	177,5	355,0	50,0	3832	1	
65038UZ	400	17,6	200,0	400,0	70,0	5400	1	



ATTACCO A SELLA saldatura a bicchiere FUSION OUTLET socket welding

Articolo Item	Ø uscita Ø out-put	per tubo for pipe	X*	Y*	A	B	D	R	Peso Weight	 pezzi pieces	 pezzi pieces
					mm	mm	mm	mm	g		
650472	20	40	500316	50348-50348A	27,0	20,0	20,0	20,0	18,7	10	
650474	25	40	500316	50348-50348A	33,0	25,0	21,5	20,0	12,9	10	
650478	20	50	500320	50348-50348A	27,0	20,0	20,0	25,0	11,5	10	
650480	25	50	500320	50348-50348A	33,0	25,0	21,5	25,0	12,9	10	
650498	20	63 75	500340 500348	50348-50348A	27,5	20,0	20,0	34,5	10,9	10	
650500	25	63 75	500340 500348	50348-50348A	33,0	25,0	21,5	34,5	12,5	10	
650502	32	63 75	500342 500360	50352	43,0	32,0	26,0	34,5	28,8	5	
650556	20	90 110 125	500386 500428 500468	50348-50348A	27,0	25,0	20,0	54,0	10,4	10	
650558	25	90 110 125	500386 500428 500468	50348-50348	33,0	25,0	21,5	55,0	12,0	10	
650560	32	90 110 125	500400 500430 500470	50352	43,0	32,0	26,0	55,0	26,9	5	
650580	40	90	500420	50354	53,5	40,0	28,0	45,0	46,0	5	
650582	50	90	500422	50356	66,0	50,0	36,0	45,0	93,0	5	
650600	40	110	500440	50354	53,5	40,0	28,0	55,0	44,8	5	
650620	50	110	500460	50356	66,0	50,0	36,0	55,0	93,0	5	
650622	63	110	500462	50358	84,0	63,0	40,0	55,0	161,0	5	
650638	40	125	500472	50354	53,5	40,0	28,0	62,5	44,8	5	
650640	50	125	500480	50356	66,0	50,0	36,0	62,5	91,4	5	
650660	63	125	500500	50358	84,0	63,0	40,0	62,5	165,4	1	
650672	20	160 200	500508 500586	50348-50348A	27,0	20,0	20,0	90,0	10,2	10	
650674	25	160 200	500508 500586	50348-50348A	33,0	25,0	21,5	90,0	11,8	10	


X* Articolo matrice idonea
Code suitable weld-in-saddle

Y* Articolo fresa idonea
Code suitable miller



ATTACCO A SELLA saldatura a bicchiere


FUSION OUTLET socket welding



X* Articolo matrice idonea Code
suitable weld-in-saddle

Y* Articolo fresa idonea
Code suitable miller


Articolo Item	Ø uscita Ø out-put	per tubo for pipe	X*	Y*	A	B	D	R	Peso Weight	pezzi pieces	pezzi pieces
					mm	mm	mm	mm	g		
650676	32	160 200	500510 500588	50352	43,0	32,0	26,0	90,0	26,9	5	
650678	40	160 200	500512 500590	50354	53,5	40,0	28,0	90,0	42,8	5	
650680	50	160	500520	50356	66,0	50,0	36,0	80,0	93,2	5	
650700	63	160	500540	50358	84,0	63,0	40,0	80,0	154,7	1	
650720	75	160	500560	50360	101,0	75,0	42,0	80,0	202,8	1	
650740	90	160	500580	50362	115,0	90,0	45,0	80,0	310,5	1	
650760	50	200	500600	50356	66,0	50,0	36,0	100,0	87,0	5	
650780	63	200	500620	50358	84,0	63,0	40,0	100,0	146,9	1	
650800	75	200	500640	50360	101,0	75,0	42,0	100,0	201,3	1	
650820	90	200	500660	50362	115,0	90,0	45,0	100,0	295,8	1	
650840	110	200	500680	50364	147,0	110,0	50,0	100,0	723,1	1	
650860	125	200	500700	50366	164,0	125,0	56,0	100,0	841,1	1	
650872	20	250 315	500702 500822	50348-50348A	27,0	20,0	20,0	141,3	9,9	10	
650874	25	250 315	500702 500822	50348-50348A	33,0	25,0	21,5	141,3	11,6	10	
650876	32	250 315	500704 500824	50352	43,0	32,0	26,0	141,3	26,4	5	
650878	40	250 315	500706 500826	50354	53,5	40,0	28,0	141,3	42,9	5	
650880	50	250	500720	50356	66,0	50,0	36,0	125,0	85,9	5	
650900	63	250	500740	50358	84,0	63,0	40,0	125,0	144,0	1	
650920	75	250	500760	50360	101,0	75,0	42,0	125,0	191,7	1	
650940	90	250	500780	50362	115,0	90,0	45,0	125,0	282,6	1	
650960	110	250	500800	50364	147,0	110,0	50,0	125,0	570,0	1	
650980	125	250	500820	50366	164,0	125,0	56,0	250,0	790,0	1	
650994	50	315	500828	50356	66,0	50,0	36,0	157,5	84,6	5	
650996	63	315	500830	50358	84,0	63,0	40,0	157,5	140,0	1	
650998	75	315	500832	50360	101,0	75,0	42,0	157,5	207,0	1	
651000	90	315	500834	50362	115,0	90,0	45,0	315,0	271,0	1	
651002	110	315	500836	50364	147,0	110,0	50,0	315,0	762,0	1	
651004	125	315	500838	50366	164,0	125,0	58,0	315,0	771,0	1	
651012	20	355 400	500842	50348-50348A	27,0	25,0	20,0	188,7	9,9	1	
651014	25	355 400	500842	50348-50348A	33,0	25,0	21,5	188,7	11,6	1	
651016	32	355 400	500844	50352	43,0	32,0	26,0	188,7	26,0	1	
651018	40	355 400	500846	50354	53,5	40,0	28,0	188,7	41,9	1	
651020	50	355 400	500848	50356	66,0	50,0	36,0	188,7	83,0	1	
651022	63	355 400	500850	50358	84,0	63,0	40,0	188,7	140,6	1	
651024	75	355	500852	50360	101,0	75,0	42,0	177,5	196,0	1	
651026	90	355	500854	50362	115,0	90,0	45,0	355,0	268,0	1	
651028	110	355	500856	50364	147,0	110,0	50,0	355,0	518,0	1	
651030	125	355	500858	50366	164,0	125,0	58,0	355,0	728,0	1	
651040	75	400	500852	50360	101,0	75,0	42,0	200,0	197,0	1	
651042	90	400	500874	50362	115,0	90,0	45,0	400,0	264,6	1	
651044	110	400	500876	50364	147,0	110,0	50,0	425,0	518,0	1	
651046	125	400	500878	50366	164,0	125,0	58,0	425,0	730,9	1	



INNESTO DIRETTO saldatura a bicchiere

DIRECT JOINT socket welding


Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	H mm	G mm	Peso Weight g	pezzi pieces	pezzi pieces
65132	20x50~400	5	14,8	29,5	10,0	41,2	31,2	20,0	12,5	10	1000
65134	25x63~400	5	17,3	34,5	11,0	43,5	32,5	25,0	18,5	10	500
65136	32x75~400	5	21,8	43,5	12,0	51,0	39,0	32,0	31,0	5	400
65138	40x90~400	5	26,8	53,5	14,0	56,0	42,0	40,0	73,0	5	200



INNESTO DIRETTO FILETTATO FEMMINA saldatura a bicchiere

THREADED DIRECT JOINT FEMALE socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	F mm	G mm	Peso Weight g	pezzi pieces	pezzi pieces
65152	F½"x50~400	5	18,5	37,0	10,0	47,0	37,0	20,0	33,0	5	200
65154	F¾"x50~400	5	22,0	44,0	11,0	49,0	38,0	25,0	44,0	5	150




INNESTO DIRETTO FUSIO-TECHNIK A DERIVAZIONE SAFETY saldatura a bicchiere

FUSIO-TECHNIK DIRECT JOINT WITH SAFETY DERIVATION socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	F mm	G mm	Peso Weight g	pezzi pieces	pezzi pieces
65170	sm16x50~400	5	18,5	37,0	10,0	75,0	37,0	20,0	113,0	5	150
65172	sm20x50~400	5	18,5	37,0	10,0	76,2	37,0	20,0	143,0	5	
65174	sm26x63~400	5	22,0	44,0	11,0	80,5	38,0	25,0	212,0	5	


sm = Connessione maschio safety *Connection male safety*



COLLARE A SALDARE saldatura a bicchiere in PP-RCT

COLLAR TO WELD socket welding of PP-RCT

Articolo Item	DN	SDR	B mm	C mm	D mm	F mm	α	G mm	H mm	I mm	Peso Weight g	pezzi pieces	pezzi pieces
65208	20	11	34,2	6,2	38,5	--	--	27,0	30,0	28,5	13,5	10	1000
65210	25	11	42,2	6,7	41,5	--	--	33,5	32,0	34,0	22,0	10	400
65212	32	11	52,0	7,5	52,0	--	--	41,0	40,0	41,2	37,5	10	300
65214	40	11	64,5	8,7	58,5	--	--	50,0	45,0	50,5	56,5	5	200
65216	50	11	78,0	10,0	64,5	--	--	60,5	48,5	63,5	73,5	5	100
65218	63	11	97,0	10,0	75,5	--	--	77,5	56,0	81,5	135,0	1	50
65220	75	11	115,0	15,0	86,0	70,0	30°	91,5	63,0	93,5	246,0	1	40
65222	90	11	132,0	18,0	98,0	86,0	30°	107,5	71,0	110,0	379,0	1	25
65224	110	11	155,0	22,0	107,0	105,0	30°	133,0	75,0	136,0	556,0	1	16
65226	125	11	182,0	25,0	116,0	120,0	25°	156,0	80,0	166,0	1000,0	1	12




COLLARE A SALDARE con codolo lungo saldatura testa a testa

COLLAR TO WELD with long shank butt-welding

Articolo Item	DN	SDR	B	C	D	F	α	G	H	I	Peso Weight		
			mm	mm	mm	mm		mm	mm	mm	g	pezzi pieces	pezzi pieces
65228U	160	11	212,5	25,5	183,0	156,5	25°	156,5	145,0	173,5	1530,0	1	4
65230U	200	11	268,0	32,5	204,0	200,0	30°	200,0	159,0	232,0	2800,0	1	4
65232U	250	11	320,0	35,0	207,0	260,0	30°	250,0	132,0	285,0	4370,0	1	
65234U	315	11	370,0	35,0	275,0	302,0	22°	315,0	152,0	335,0	9000,0	1	

Saldatura testa a testa *Butt-welding*


Articolo Item	DN	SDR	B	C	D	F	α	G	H	I	Peso Weight		
			mm	mm	mm	mm		mm	mm	mm	g	pezzi pieces	pezzi pieces
65228UZ	160	17,6	212,5	25,5	183,0	156,5	25°	160,0	145,0	173,5	1163,0	1	4
65230UZ	200	17,6	268,0	32,5	204,0	200,0	30°	200,0	159,0	232,0	2183,0	1	4
65232UZ	250	17,6	320,0	35,0	207,0	260,0	30°	250,0	132,0	285,0	3240,0	1	
65234UZ	315	17,6	370,0	35,0	275,0	302,0	22°	315,0	152,0	335,0	5548,0	1	



COLLARE A SALDARE con codolo corto saldatura testa a testa


COLLAR TO WELD with short shank butt-welding

Articolo Item	DN	SDR	B	C	D	F	α	G	H	I	Peso Weight		
			mm	mm	mm	mm		mm	mm	mm	g	pezzi pieces	pezzi pieces
65236UZ	355	17,6	432,0	42,0	125,0	350,0	25°	355,0	35,0	373,0	4344,0	1	
65238UZ	400	17,6	484,0	42,0	125,0	390,0	25°	400,0	29,0	427,0	5413,0	1	



FLANGIA FLANGE


Articolo Item	DN	PN	D	E	F	G	H	Fori Holes	Viti Screws	Peso Weight		
			mm	mm	mm	mm	mm	n°		g	pezzi pieces	pezzi pieces
65266	20	10/16	106,0	65,0	28,0	14,0	18,0	4	M12	378	1	30
65268	25	10/16	118,0	75,0	34,0	14,0	18,0	4	M12	463	1	25
65270	32	10/16	122,0	85,0	42,0	14,0	17,0	4	M12	512	1	25
65272	40	10/16	142,0	100,0	51,0	18,0	17,0	4	M16	551	1	20
65274	50	10/16	156,0	110,0	67,0	18,0	19,0	4	M16	700	1	20
65276	63	10/16	171,0	125,0	78,0	18,0	20,0	4	M16	900	1	15
65278	75	10/16	191,0	145,0	92,0	18,0	21,0	4	M16	1250	1	10
65280	90	10/16	206,0	160,0	108,0	18,0	21,0	8	M16	1300	1	8
65282	110	10/16	226,0	180,0	134,0	18,0	22,0	8	M16	1550	1	5
65284	125	10/16	256,0	210,0	158,0	18,0	25,0	8	M16	1700	1	5
65286	160	10/16	291,0	240,0	178,0	22,0	28,0	8	M20	2500	1	4
65290	200	10/16	346,0	295,0	238,0	22,0	29,0	8	M20	3500	1	4
65292	250	10	404,0	350,0	288,0	22,0	31,0	12	M20	4350	1	
65294	315	10	456,0	400,0	337,0	22,0	40,0	12	M20	7500	1	
65296	355	10	525,0	460,0	376,0	22,0	52,0	16	M20	11100	1	
65298	400	10	586,0	515,0	430,0	26,0	56,0	16	M24	14700	1	



SORPASSO saldatura a bicchiere

SWAN NECK socket welding


Articolo Item	DN	SDR	B	D	E	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	g		
65408	20	6	20,0	385,0	56,0	70,5	10	250
65410	25	6	25,0	385,0	61,0	108,0	10	70
65412	32	6	32,0	385,0	68,0	178,0	5	40



SORPASSO FASER FIBER-T saldatura a bicchiere

FASER FIBER-T SWAN NECK socket welding


Articolo Item	DN	SDR	B	D	E	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	g		
65414	20	7,4	20,0	385,0	56,0	61,0	10	250
65416	25	7,4	25,0	385,0	61,0	93,0	10	70
65418	32	7,4	32,0	385,0	68,0	152,0	5	40



SORPASSO ECCENTRICO M/M saldatura a bicchiere

ECCENTRIC SWAN NECK M/M socket welding


Articolo Item	DN	SDR	B	D	E	H	L	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
65428	20	6	20,0	385,0	56,0	149,5	235,5	70,5	10	250



SORPASSO STAMPATO M/F saldatura a bicchiere

MOULDED SWAN NECK M/M socket welding


Articolo Item	DN	SDR	B	D	E	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	g		
65438	20	5	20,0	94,0	65,0	29,0	33,0	10	400



CURVA 90° F/F saldatura a bicchiere

CURVE 90° F/F socket welding


Articolo Item	DN	SDR	B	D	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	g		
65458	20	5	29,0	75,0	32,0	1	400
65460	25	5	34,0	83,5	41,0	1	300



GIUNTO FILETTATO FEMMINA saldatura a banchiere

THREADED JOINT FEMALE socket welding


Articolo Item	DN	SDR	A	B	C	D	G	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	g		
66008	F1/2"-20	5	19,2	38,5	15,5	41,0	33,5	60,5	10	200
66009	F1/2"-25	5	19,2	38,5	17,0	41,0	33,5	62,5	10	200
66010	F3/4"-25	5	22,2	44,5	15,5	41,0	39,0	80,0	10	200
66011	F3/4"-20	5	22,2	44,5	15,5	41,0	35,0	90,0	10	200
66013	F3/4"-32	5	22,2	44,5	18,0	41,0	40,0	91,0	5	150



GIUNTO FILETTATO FEMMINA con sede esagonale saldatura a banchiere

THREADED JOINT FEMALE with exagonal seat socket welding


Articolo Item	DN	SDR	A	B	C	D	G	H	CH	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
66108	F1/2"-20	5	19,3	38,5	15,0	51,0	33,5	10,0	24,0	83,0	10	200
66109	F3/4"-20	5	22,3	44,5	15,0	51,0	33,5	10,0	31,0	115,0	10	150
66110	F3/4"-25	5	22,3	44,5	16,0	51,0	39,0	10,0	31,0	110,0	10	150
66112	F1"-32	5	29,0	58,0	18,5	60,5	43,5	14,5	39,0	235,0	5	80
66114	F1 1/4"-40	5	37,0	74,0	22,5	64,5	53,5	14,5	48,0	337,0	5	50
66116	F1 1/2"-50	5	39,5	79,0	25,5	67,5	72,0	14,5	56,0	410,0	1	40
66118	F2"-63	5	46,5	93,0	27,5	74,5	85,0	16,5	67,0	568,0	1	25
66120	F2 1/2"-75	5	58,5	117,0	31,5	85,5	100,0	21,5	88,0	1107,0	1	15
66122	F3"-90	5	64,5	129,0	39,0	98,5	123,5	23,5	95,0	1286,0	1	12
66124	F4"-110	5	81,8	163,5	39,0	111,0	149,0	30,0	120,0	1933,0	1	6
66125	F4"-125	5	81,8	163,5	--	116,0	163,5	30,0	120,0	1947,8	1	
66126	F5"-125	5	108,0	216,0	39,0	114,0	166,0	15,0	149,0	3526,0	1	4



GIUNTO FILETTATO FEMMINA a saldare maschio saldatura a banchiere

THREADED JOINT FEMALE to weld male socket welding


Articolo Item	DN	SDR	A	B	C	D	F	G	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
66150	F1/2"-20	5	19,2	38,5	14,5	39,5	25,0	20,0	67,0	10	200



GIUNTO FILETTATO FEMMINA a saldare maschio, con sede esagonale saldatura a banchiere


THREADED JOINT FEMALE to weld male, with exagonal seat socket welding

Articolo Item	DN	SDR	A	B	C	D	G	H	CH	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
66158	F1/2"-20	5	19,2	38,5	14,5	49,5	20,0	10,0	24,0	80,0	10	200




GIUNTO FILETTATO MASCHIO saldatura a bicchiere **THREADED JOINT MALE** socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	G mm	Peso Weight g	pezzi pieces	pezzi pieces
66208	M½"-20	5	19,2	38,5	15,5	57,0	33,5	78,0	10	200
66209	M½"-25	5	19,2	38,5	17,0	57,0	37,0	77,5	10	200
66210	M¾"-25	5	19,2	38,5	17,0	58,0	37,0	102,0	10	200
66211	M¾"-20	5	19,2	38,5	15,5	58,0	35,0	100,0	10	200
66213	M¾"-32	5	19,2	38,5	19,0	60,0	42,0	107,0	5	150




GIUNTO FILETTATO MASCHIO con sede esagonale saldatura a bicchiere **THREADED JOINT MALE with exagonal seat** socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	G mm	H mm	CH mm	Peso Weight g	pezzi pieces	pezzi pieces
66308	M½"-20	5	19,2	38,5	15,0	67,0	33,5	10,0	22,0	109,0	10	200
66310	M¾"-25	5	19,2	38,5	15,0	68,0	33,5	10,0	27,0	141,0	10	150
66311	M¾"-20	5	19,2	38,5	15,0	68,0	33,5	10,0	27,0	139,0	10	150
66312	M1"-32	5	26,0	52,0	18,5	76,5	43,5	14,5	34,0	226,0	5	70
66314	M1¼"-40	5	34,0	68,0	22,5	86,0	53,5	14,5	43,0	387,0	5	50
66316	M1½"-50	5	36,5	73,0	25,5	91,5	67,5	14,5	49,0	418,0	5	40
66318	M2"-63	5	43,5	87,0	33,5	96,0	85,0	14,0	61,0	570,0	1	20
66320	M2½"-75	5	51,5	103,0	39,5	106,0	101,0	14,0	76,0	1010,0	1	20
66321	M2½"-90	5	51,5	103,0	37,0	109,0	120,0	15,0	76,0	1080,0	1	15
66322	M3"-90	5	65,0	130,0	44,5	119,5	149,0	15,0	91,0	1780,0	1	6
66324	M3"-110	5	66,0	130,0	44,5	119,5	149,0	15,0	91,0	1671,0	1	6
66325	M4"-110	5	81,5	163,0	39,0	148,0	149,0	29,0	115,0	2850,0	1	4
66326	M5"-125	5	108,0	216,0	39,0	161,0	165,0	15,0	150,0	4430,0	1	4





GIUNTO FILETTATO MASCHIO a saldare maschio saldatura a bicchiere **THREADED JOINT MALE to weld male** socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	G mm	Peso Weight g	pezzi pieces	pezzi pieces
66350	M½"-20	5	19,3	38,5	14,5	55,5	20,0	72,0	10	200



GIUNTO FILETTATO MASCHIO a saldare maschio, con sede esagonale saldatura a bicchiere **THREADED JOINT MALE to weld male, with exagonal seat** socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	G mm	H mm	CH mm	Peso Weight g	pezzi pieces	pezzi pieces
66358	M½"-20	5	19,3	38,5	14,5	65,5	20,0	10,0	22,0	110,0	10	200




GOMITO FILETTATO FEMMINA saldatura a banchiere

THREADED ELBOW FEMALE socket welding

Articolo Item	DN	SDR	A mm	B mm	D mm	E mm	G mm	Peso Weight g	confezione pack	scatola box
67008	F1/2"-20	5	32,0	29,5	51,8	25,0	38,0	71,0	10	200
67009	F1/2"-25	5	32,0	34,5	54,3	26,0	38,0	78,0	10	150
67010	F3/4"-25	5	37,0	34,5	54,3	26,0	45,0	107,5	10	150
67011	F3/4"-20	5	37,0	34,5	54,3	26,0	45,0	113,5	10	100
67013	F3/4"-32	5	48,0	43,5	61,3	26,5	56,0	148,0	5	100


Articolo Item	DN	SDR	A mm	B mm	D mm	E mm	G mm	H mm	CH mm	Peso Weight g	confezione pack	scatola box
67014	F1"-32	5	48,0	43,5	75,8	28,0	56,0	14,5	39,0	269,0	5	70



GOMITO FILETTATO FEMMINA con staffa saldatura a banchiere

THREADED ELBOW FEMALE with bracket socket welding


Articolo Item	DN	SDR	A mm	B mm	D mm	E mm	G mm	L mm	F mm	Peso Weight g	confezione pack	scatola box
67108	F1/2"-20	5	32,0	29,5	51,8	25,0	38,0	55,0	39,0	72,5	10	150
67109	F3/4"-20	5	32,0	34,5	54,3	25,0	45,0	69,0	48,0	119,0	10	100
67110	F3/4"-25	5	37,0	34,5	54,3	25,0	45,0	69,0	48,0	117,0	10	100
67111	F1/2"-25	5	37,0	34,5	54,3	27,0	38,0	55,0	39,0	83,5	1	100



KIT TERMINALE DOPPIO FILETTATO FEMMINA saldatura a banchiere

DOUBLE TERMINAL KIT THREADED FEMALE socket welding

Articolo Item	DN	SDR	A mm	B mm	D mm	E mm	H mm	L mm	Peso Weight g	confezione pack	scatola box
67178	F1/2"-20	5	52,0	80,0	220,0	98,5	55,5	150,0	279,5	1	



STAFFA TERMINALE CON DOPPIO GOMITO FILETTATO FEMMINA INTEGRATO saldatura a banchiere


TERMINAL BRACKET WITH DOUBLE FEMALE THREADED ELBOW socket welding

Articolo Item	DN	SDR	A mm	B mm	D mm	E mm	H mm	L mm	Peso Weight g	confezione pack	scatola box
67190	F1/2"-25	5	35,0	38,0	187,5	71,0	55,5	150,0	181,8	1	





GOMITO FILETTATO FEMMINA a saldare maschio saldatura a bicchiere **THREADED ELBOW FEMALE to weld male** socket welding

Articolo Item	DN	SDR	A	B	D	E	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
67208	F½"-20	5	37,5	20,0	51,8	25,0	38,0	72,0	10	200



GOMITO FILETTATO MASCHIO saldatura a bicchiere **THREADED ELBOW MALE** socket welding

Articolo Item	DN	SDR	A	B	D	E	G	I	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
67500	M½"-25	5	37,0	34,5	70,3	25,0	39,0	54,3	94,0	10	200
67508	M½"-20	5	31,0	29,5	67,8	25,0	39,0	51,8	90,0	10	150
67509	M¾"-20	5	37,0	34,5	71,3	26,0	39,0	54,3	132,0	10	150
67510	M¾"-25	5	37,0	34,5	71,3	26,0	39,0	54,3	121,0	10	100
67511	M¾"-32	5	48,0	43,5	78,3	26,0	50,0	61,3	172,0	5	100





Articolo Item	DN	SDR	A	B	D	E	G	I	CH	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
67512	M1"-32	5	48,0	43,5	91,8	26,0	50,0	61,3	36,0	269,0	5	50



TEE FILETTATO FEMMINA saldatura a bicchiere **THREADED TEE FEMALE** socket welding

Articolo Item	DN	SDR	A	B	C	D	E	F	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
68008	20-F½"-20	5	62,0	29,5	12,0	51,8	22,3	31,0	38,0	78,0	10	150
68009	20-F¾"-20	5	62,0	29,5	8,5	51,8	22,3	31,0	45,0	104,0	10	100
68010	25-F¾"-25	5	74,0	34,5	14,5	54,3	19,8	37,0	45,0	114,0	10	100
68011	25-F½"-25	5	69,0	34,5	18,0	54,3	19,8	34,5	38,0	85,0	10	100
68014	32-F¾"-32	5	96,0	43,5	20,0	61,3	17,8	48,0	56,0	170,0	5	50




Articolo Item	DN	SDR	A	B	C	D	E	F	G	H	CH	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	mm	mm	g		
68016	32-F1"-32	5	96,0	43,5	20,0	75,8	17,8	48,0	56,0	14,5	39,0	283,0	5	50

TEE FILETTATO MASCHIO *THREADED TEE MALE*

Saldatura a bicchiere *Socket welding*



Articolo Item	DN	SDR	A	B	D	E	F	G	Peso Weight		
			mm	mm	mm	mm	mm	mm	g	pezzi pieces	pezzi pieces
68508	20-M $\frac{1}{2}$ "-20	5	62,0	29,5	67,8	22,3	31,0	38,0	110,0	10	150



BOCCHETTONE DRITTO *PIPE UNION*

Saldatura a bicchiere *Socket welding*

Articolo Item	DN	SDR	A	B	C	D	G	I	HH	CHH	Peso Weight		
			mm	mm	mm	mm	mm	mm	mm	mm	g	pezzi pieces	pezzi pieces
69010	F $\frac{3}{4}$ "-20	5	19,2	33,5	15,5	41,0	38,5	64,5	14,0	30,0	127,0	5	200
69011	F $\frac{3}{4}$ "-25	5	19,2	33,5	17,0	41,0	38,5	66,0	14,0	30,0	131,0	5	150
69012	F1"-25	5	22,2	39,0	15,5	41,0	44,5	68,0	16,0	38,0	202,0	5	150
69013	F1"-32	5	22,2	34,5	18,0	41,0	44,5	71,5	16,0	38,0	203,0	5	100





Articolo Item	DN	SDR	A	B	C	D	G	I	H	CH	HH	CHH	Peso Weight		
			mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	g	pezzi pieces	pezzi pieces
69014	F1 $\frac{1}{4}$ "-32	5	29,0	43,5	18,5	60,5	58,0	90,0	14,5	39,0	20,0	46,0	424,0	5	50


BOCCHETTONE CURVO *BENT PIPE UNION*

Saldatura a bicchiere *Socket welding*

Articolo Item	DN	SDR	A	B	D	E	G	I	HH	CHH	Peso Weight		
			mm	mm	mm	mm	mm	mm	mm	mm	g	pezzi pieces	pezzi pieces
69110	F $\frac{3}{4}$ "-20	5	32,0	29,5	51,8	25,0	38,0	76,0	16,0	30,0	139,0	5	150
69111	F $\frac{3}{4}$ "-25	5	32,0	34,5	54,3	26,0	45,0	78,0	16,0	30,0	146,0	5	150
69112	F1"-25	5	37,0	34,5	54,3	26,0	45,0	84,0	18,0	38,0	220,0	5	100
69113	F1"-32	5	48,0	43,5	61,3	26,5	56,0	91,0	18,0	38,0	240,0	5	70




Articolo Item	DN	SDR	A	B	D	E	G	I	H	CH	HH	CHH	Peso Weight		
			mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	g	pezzi pieces	pezzi pieces
69114	F1 $\frac{1}{4}$ "-32	5	48,0	43,5	75,8	28,0	56,0	99,0	14,5	39,0	18,0	46,0	450,0	5	40




BOCCHETTONE FILETTATO MASCHIO saldatura a bicchiere con codoli in PP-RCT
THREADED PIPE UNION MALE socket welding with PP-RCT shank

Articolo Item	DN	SDR	B	C	D	E	H	I	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
69230	M½"-20	11	20,0	36,5	86,5	22,0	50,0	29,0	92,0	5	200
69232	M¾"-25	11	25,0	40,5	95,5	26,0	55,0	38,0	163,0	5	100
69234	M1"-32	11	32,0	41,0	106,0	34,0	65,0	46,0	229,0	5	50
69236	M1¼"-40	11	40,0	46,0	109,0	42,0	63,0	55,0	384,0	5	40
69238	M1½"-50	11	50,0	65,0	144,0	52,0	79,0	64,0	725,0	1	20
69240	M2"-63	11	63,0	65,0	145,0	64,0	80,0	82,0	994,0	1	15




BOCCHETTONE FILETTATO FEMMINA saldatura a bicchiere con codoli in PP-RCT
THREADED PIPE UNION FEMALE socket welding with PP-RCT shank

Articolo Item	DN	SDR	B	C	D	E	H	I	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
69260	F½"-20	11	20,0	36,0	86,0	24,0	50,0	30,0	90,0	5	200
69262	F¾"-25	11	25,0	40,5	95,5	32,0	55,0	38,0	163,0	5	100
69264	F1"-32	11	32,0	42,3	107,3	40,0	65,0	46,0	260,0	5	50
69266	F1¼"-40	11	40,0	49,0	112,0	47,5	63,0	55,0	444,0	5	40
69268	F1½"-50	11	50,0	61,5	140,5	56,0	79,0	65,0	670,0	1	20
69270	F2"-63	11	63,0	65,0	145,0	70,0	80,0	82,0	1090,0	1	15




BOCCHETTONE a saldare femmina saldatura a bicchiere con codoli in PP-RCT
PIPE UNION to weld female socket welding with PP-RCT shank

Articolo Item	DN	SDR	B	C	D	E	H	I	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
69280	20-20	11	26,5	27,8	79,6	31,0	18,8	46,0	188,0	5	100
69282	25-25	11	33,0	31,2	85,0	38,0	19,8	52,0	224,0	5	50
69284	32-32	11	40,5	40,9	106,0	50,0	25,0	67,0	532,0	5	30
69286	40-40	11	49,0	45,8	119,0	56,0	24,8	80,0	705,0	5	20
69288	50-50	11	58,5	50,0	131,0	71,0	26,5	97,0	1091,0	1	10
69290	63-63	11	74,0	59,0	153,0	81,0	38,0	109,0	1330,0	1	8




BOCCHETTONE IN PP-RCT saldatura a bicchiere
PP-RCT PIPE UNION socket welding

Articolo Item	DN	SDR	A	B	C	D	E	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
69320	20-20	11	80,0	14,3	28,5	26,3	20,0	68,5	5	100
69322	25-25	11	87,5	16,8	31,0	33,0	25,0	120,4	5	50
69324	32-32	11	108,0	27,5	40,0	40,5	32,0	148,3	5	30



BOCCHETTONE IN PP-RCT con valvola di non ritorno saldatura a bicchiere
PP-RCT PIPE UNION with check valve socket welding


Articolo Item	DN	SDR	A	B	C	D	E	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
69320	20-20	11	80,0	14,3	28,5	26,3	20,0	75,5	5	100
69322	25-25	11	87,5	16,8	31,0	33,0	25,0	130,4	5	50
69324	32-32	11	108,0	27,5	40,0	40,5	32,0	158,3	5	30



GHIERA saldatura a bicchiere

RING NUT socket welding


Articolo Item	DN	A mm	B mm	Peso Weight g	pezzi pieces	pezzi pieces
40328	20-20	50,5	36,7	33,7	10	200
40330	25-25	60,0	39,7	45,5	5	120
40332	32-32	68,0	40,5	60,0	5	100



RACCORDO EUROCONO in PP-R

EUROCONE FITTING in PP-R


Articolo Item	SDR	A mm	B mm	D mm	CH mm	Peso Weight g	pezzi pieces	pezzi pieces
69390U	6	20,0	F $\frac{3}{4}$ "	47,0	Es 30	50,0		



GHIERA DI SOSTITUZIONE saldatura a bicchiere

RING NUT socket welding


Articolo Item	DN	A mm	B mm	D mm	Peso Weight g	pezzi pieces	pezzi pieces
69314	F $\frac{1}{2}$ "	11,3	22,5	32,5	44,0	5	200



STELO IN PP-R saldatura a bicchiere

PP-R STEM socket welding


Articolo Item	DN	A mm	B mm	D mm	E mm	F mm	Peso Weight g	pezzi pieces	pezzi pieces
69350	7-11	7,3	11,3	80,0	40,0	40,0	6,0	10	1000



MANICOTTO ELETTRICO saldatura elettrica


ELECTRIC COUPLING electric welding

Articolo Item	DN	SDR	B mm	C mm	D mm	H mm	Peso Weight g	pezzi pieces	pezzi pieces
69508	20	5	33,0	35,0	70,0	52,0	54,0	10	250
69510	25	5	38,5	35,0	70,0	58,0	54,0	10	200
69512	32	5	45,5	35,0	70,0	65,0	75,0	10	150
69514	40	5	55,0	42,5	85,0	75,0	112,0	5	100
69516	50	5	68,0	44,0	88,0	87,0	150,0	5	75
69518	63	5	82,0	49,0	98,0	100,0	220,0	5	50
69520	75	5	98,0	62,5	125,0	114,0	341,0	1	40
69522	90	5	113,0	73,0	146,0	130,0	500,0	1	24
69524	110	5	136,0	77,5	155,0	144,0	663,0	1	12
69526	125	5	156,5	83,0	166,0	167,0	1000,0	1	6




MANICOTTO ELETTRICO saldatura elettrica ELECTRIC COUPLING electric welding

Articolo Item	DN	SDR	B mm	C mm	D mm	H mm	Peso Weight g	pezzi pieces	pezzi pieces
69528	160	11	190,0	87,5	175,0	201,5	1500	1	4
69530	200	11	232,0	92,5	185,0	243,0	2171	1	4
69532	250	11	296,0	106,0	212,0	300,0	4461	1	
69534	315	11	396,0	150,0	300,0	396,0	12620	1	
69536	355	11	450,0	160,0	320,0	450,0	17875	1	
69538	400	11	500,0	160,0	320,0	500,0	21036	1	




VALVOLA A SFERA saldatura a bicchiere con codoli in PP-RCT BALL VALVE socket welding with PP-RCT shank

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	H mm	I mm	L mm	Peso Weight g	pezzi pieces	pezzi pieces
40008	20	11	45,0	20,0	51,5	177,0	74,0	30,0	90,0	305,0	5	50
40010	25	11	46,0	25,0	54,5	189,0	80,0	36,0	90,0	455,0	5	40
40012	32	11	56,0	32,0	65,0	217,0	87,0	46,0	114,0	730,0	1	20
40014	40	11	64,5	40,0	63,0	231,0	105,0	55,0	114,0	1070,0	1	15
40016	50	11	66,0	50,0	79,0	266,0	108,0	65,0	114,0	1340,0	1	10
40018	63	11	82,0	63,0	80,0	276,5	116,5	82,0	146,0	2200,0	1	7




VALVOLA A SFERA con maniglia a farfalla saldatura a bicchiere con codoli in PP-RCT BALL VALVE with butterfly hand socket welding with PP-RCT shank

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	H mm	I mm	L mm	Peso Weight g	pezzi pieces	pezzi pieces
40058	20	11	39,0	20,0	51,5	177,0	74,0	30,0	30,0	302,0	5	50
40060	25	11	41,0	25,0	54,5	189,0	80,0	36,0	30,0	452,0	5	40
40062	32	11	46,0	32,0	65,0	217,0	87,0	46,0	35,0	725,0	1	20



VALVOLA A SFERA saldatura a bicchiere con codoli in PP-RCT BALL VALVE socket welding with PP-RCT shank


Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	H mm	I mm	L mm	M mm	Peso Weight g	pezzi pieces	pezzi pieces
40068	M1/2"-20	11	45,0	20,0	51,5	143,5	74,0	30,0	90,0	18,0	324,0	5	50
40070	M3/4"-25	11	46,0	25,0	54,5	157,0	80,0	36,0	90,0	22,5	475,0	5	40
40072	M1"-32	11	56,0	32,0	65,0	178,5	87,0	46,0	114,0	26,5	811,0	1	20
40074	M1 1/4"-40	11	64,5	40,0	63,0	194,0	105,0	55,0	114,0	26,0	1230,0	1	
40076	M1 1/2"-50	11	66,0	50,0	79,0	221,0	108,0	65,0	114,0	34,0	1810,0	1	
40078	M2"-63	11	82,0	63,0	80,0	234,5	116,5	82,0	146,0	38,0	2740,0	1	



VALVOLA A SFERA con maniglia a farfalla saldatura a bicchiere con codoli in PP-RCT

BALL VALVE with butterfly hand socket welding with PP-RCT shank


Articolo Item	DN	SDR	A	B	C	D	H	I	L	M	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	mm	g		
40098	M1/2"-20	11	39,0	20,0	51,5	143,5	74,0	30,0	30,0	18,0	321,0	5	50
40100	M3/4"-25	11	41,0	25,0	54,5	157,0	80,0	36,0	30,0	22,5	472,0	5	40
40102	M1"-32	11	46,0	32,0	65,0	178,5	87,0	46,0	34,0	26,5	806,0	1	20



VALVOLA A SFERA saldatura a bicchiere

BALL VALVE socket welding


Articolo Item	DN	SDR	B	C	D	E	L	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
40228	20	5	30,0	23,0	73,5	72,0	66,0	122,0	5	100
40230	25	5	35,8	25,0	77,5	72,0	66,0	163,0	5	80
40232	32	5	44,5	25,0	89,0	80,0	76,5	204,0	1	40



VALVOLA A SFERA saldatura a bicchiere

BALL VALVE socket welding


Articolo Item	DN	SDR	B	C	D	E	L	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
40234	40	5	59,0	29,0	98,0	104,0	109,5	362,0	1	25
40236	50	5	74,0	35,0	111,0	112,0	109,5	524,0	1	15
40238	63	5	90,0	35,0	130,0	150,0	150,0	980,0	1	8
40240	75	6	103,0	42,0	151,5	180,0	150,0	1494,0	1	6
40242	90	11	110,0	46,0	185,5	210,0	240,0	2310,0	1	1
40244	110	11	130,0	50,0	213,0	245,0	240,0	3144,0	1	1
40246	125	11	155,0	68,0	235,0	245,0	240,0	4726,0	1	1



VALVOLA A SFERA con corpo e sfera in PP saldatura a bicchiere con collari in PP-RCT

BALL VALVE with body and ball of PP socket welding with collars of PP-RCT


Articolo Item	DN	A	B	C	D	E	L	Peso Weight	pezzi pieces	pezzi pieces
		mm	mm	mm	mm	mm	mm	g		
40358	20	50,3	26,5	21,9	128,0	73,2	65,6	126,6	1	25
40360	25	59,0	33,0	30,2	148,5	86,5	80,3	196,3	1	25
40362	32	70,4	40,5	39,5	175,3	100,2	80,3	320,0	1	15
40364	40	86,0	49,0	42,5	199,5	126,3	90,2	602,2	1	10
40366	50	99,5	58,5	47,0	213,7	139,1	90,2	783,0	1	7
40368	63	125,5	77,5	55,0	250,0	177,5	141,1	1455,0	1	4



RUBINETTO D'ARRESTO saldatura a bicchiere

SHUT-OFF VALVE socket welding


Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	E mm	L mm	Peso Weight g	pezzi pieces	pezzi pieces
40719	20	5	45,5	34,0	21,0	87,0	96,0	59,0	251,0	1	40
40721	25	5	45,5	34,0	21,0	87,0	96,0	59,0	244,0	1	40
40723	32	5	56,8	43,5	21,0	96,0	116,8	59,0	434,0	1	30



RUBINETTO D'ARRESTO con valvola a sfera saldatura a bicchiere

SHUT-OFF VALVE with ball valve socket welding


Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	E mm	L mm	Peso Weight g	pezzi pieces	pezzi pieces
40730	20	5	49,0	34,0	23,5	91,0	122,0	71,0	535,0	1	40
40732	25	5	49,0	34,0	23,5	91,0	122,0	71,0	534,0	1	40



RUBINETTO D'ARRESTO con maniglia e rosone in metallo cromato saldatura a bicchiere

SHUT-OFF VALVE with chrome-plated handle and washer socket welding


Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	E mm	F mm	L mm	Peso Weight g	pezzi pieces	pezzi pieces
40900	20	5	45,5	34,0	21,0	87,0	117,5	46,0	70,0	456,0	1	40
40902	25	5	45,5	34,0	21,0	87,0	117,5	46,0	70,0	455,0	1	40
40920	32	5	56,8	43,5	21,0	96,0	124,3	46,0	71,0	570,0	1	30



RUBINETTO D'ARRESTO con maniglia e rosone in ABS cromato saldatura a bicchiere


SHUT-OFF VALVE with handle and washer of chromed ABS socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	E mm	F mm	L mm	Peso Weight g	pezzi pieces	pezzi pieces
40910	20	5	45,5	34,0	21,0	87,0	117,5	46,0	70,0	267,8	1	40
40912	25	5	45,5	34,0	21,0	87,0	117,5	46,0	70,0	266,8	1	40




RUBINETTO D'ARRESTO con cappuccio chiuso e rosone in metallo cromato saldatura a bicchiere
SHUT-OFF VALVE with chromed-plated closed-cap and washer socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	E mm	L mm	Peso Weight g	pezzi pieces	pezzi pieces
40921	20	5	45,5	34,0	21,0	87,0	92,0	70,0	300,0	1	40
40923	25	5	45,5	34,0	21,0	87,0	92,0	70,0	299,0	1	40
40924	32	5	56,8	43,5	21,0	96,0	106,0	70,0	464,0	1	30




RUBINETTO D'ARRESTO con cappuccio chiuso e rosone in ABS cromato saldatura a bicchiere
SHUT-OFF VALVE with closed-cap and washer of chromed ABS socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	E mm	L mm	Peso Weight g	pezzi pieces	pezzi pieces
40941	20	5	45,5	34,0	21,0	87,0	92,0	70,0	259,4	1	40
40943	25	5	45,5	34,0	21,0	87,0	92,0	70,0	258,4	1	40



CORPO RUBINETTO saldatura a bicchiere
VALVE CASING socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	Peso Weight g	pezzi pieces	pezzi pieces
40846	20	5	45,5	34,0	21,0	87,0	110,0	10	100
40847	25	5	45,5	34,0	21,0	87,0	100,0	10	100
40850	32	5	56,8	43,5	21,0	96,0	170,0	5	50




CORPO RUBINETTO saldatura a bicchiere
VALVE CASING socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	E mm	Peso Weight g	pezzi pieces	pezzi pieces
40852	20	5	49,0	34,0	23,5	91,0	90,0	400,0	1	
40854	25	5	49,0	34,0	23,5	91,0	90,0	390,0	1	


Articoli e dimensioni raccordi fusio-technik FIRES

Items and dimensions fusio-technik FIRES fittings




MANICOTTO saldatura a bicipiede
PIPE COUPLING socket welding

Articolo Item	DN	SDR	A	B	D	Peso Weight		
			mm	mm	mm	g	pezzi pieces	pezzi pieces
62008FR	20	5	14,8	29,5	31,0	11,0	10	400
62010FR	25	5	17,3	34,5	38,5	17,0	10	300
62012FR	32	5	21,8	43,5	43,5	28,5	5	150
62014FR	40	5	26,8	53,5	47,5	48,5	5	250
62016FR	50	5	34,0	68,0	54,5	85,0	5	150
62018FR	63	5	42,5	85,0	62,5	150,0	1	50
62020FR	75	5	55,0	101,0	67,0	228,0	1	60
62022FR	90	5	60,0	120,0	72,5	336,5	1	42
62024FR	110	5	74,0	147,0	80,5	601,5	1	24
62026FR	125	5	82,0	164,0	90,5	813,5	1	12



RIDUZIONE saldatura a bicipiede
REDUCER socket welding


Articolo Item	DN	SDR	A	B	D	H	G	Peso Weight		
			mm	mm	mm	mm	mm	g	pezzi pieces	pezzi pieces
62112FR	M25-F20	5	12,5	25,0	40,3	18,5	29,5	13,5	10	400
62116FR	M32-F25	5	16,0	32,0	39,5	18,5	34,5	19,5	10	300
62122FR	M40-F32	5	20,0	40,0	42,0	21,0	43,5	53,0	5	300
62124FR	M50-F20	5	25,0	50,0	45,0	24,0	29,5	50,0	5	300
62126FR	M50-F25	5	25,0	50,0	45,0	24,0	34,5	60,0	5	300
62128FR	M50-F32	5	25,0	50,0	45,0	24,0	43,5	65,0	5	300
62130FR	M50-F40	5	25,0	50,0	45,0	24,0	53,5	70,0	5	200
62134FR	M63-F32	5	31,5	63,0	57,0	30,0	43,5	85,0	1	100
62136FR	M63-F40	5	31,5	63,0	57,0	30,0	53,5	90,0	1	100
62138FR	M63-F50	5	31,5	63,0	57,0	30,0	68,0	115,0	1	100
62140FR	M75-F50	5	37,5	75,0	65,5	32,5	68,0	140,0	1	80
62142FR	M75-F63	5	37,5	75,0	65,5	32,5	85,0	200,0	1	80
62152FR	M90-F63	5	45,0	90,0	76,0	35,5	85,0	290,0	1	50
62153FR	M90-F75	5	45,0	90,0	76,0	35,5	101,0	320,0	1	50
62155FR	M110-F63	5	55,0	110,0	90,0	39,5	85,0	350,0	1	30
62157FR	M110-F75	5	55,0	110,0	90,0	39,5	101,0	450,0	1	30
62159FR	M110-F90	5	55,0	110,0	90,0	39,5	120,0	450,0	1	30
62170FR	M125-F90	5	62,5	125,0	110,0	46,0	120,0	550,0	1	30
62172FR	M125-F110	5	62,5	125,0	110,0	46,0	147,0	600,0	1	24



GOMITO 90° saldatura a bicchiere

ELBOW 90° socket welding


Articolo Item	DN	SDR	A	B	C	D	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	g		
63108FR	20	5	26,5	29,5	11,7	41,2	18,0	10	350
63110FR	25	5	30,0	34,5	12,7	47,2	23,0	10	250
63112FR	32	5	35,5	43,5	13,7	57,2	45,0	5	100
63114FR	40	5	43,0	53,5	16,2	69,7	77,0	5	150
63116FR	50	5	50,5	68,0	16,5	84,5	172,0	5	80
63118FR	63	5	61,0	85,0	18,5	103,5	312,0	1	40
63120FR	75	5	73,0	101,0	22,5	123,5	510,0	1	30
63122FR	90	5	80,5	120,0	20,5	140,5	800,0	1	18
63124FR	110	5	97,0	147,0	23,5	170,5	1492,0	1	10
63126FR	125	5	125,0	164,0	43,0	207,0	2060,0	1	5



GOMITO 90° M/F saldatura a bicchiere

ELBOW M/F 90° socket welding


Articolo Item	DN	SDR	A	B	C	E	G	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	g		
63308FR	20	5	29,5	29,5	31,5	14,0	20,0	18,0	10	350
63310FR	25	5	30,0	34,5	34,5	15,5	25,0	27,0	10	250
63312FR	32	5	35,5	43,5	42,5	17,5	32,0	50,0	5	100
63314FR	40	5	43,0	53,5	49,5	20,0	40,0	88,0	5	150



GOMITO 45° saldatura a bicchiere

ELBOW 45° socket welding


Articolo Item	DN	SDR	A	B	C	D	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	g		
63508FR	20	5	19,5	29,5	9,0	38,5	15,5	10	350
63510FR	25	5	21,6	34,5	9,0	43,5	22,0	10	250
63512FR	32	5	26,0	43,5	10,5	54,0	36,5	5	100
63514FR	40	5	30,0	53,5	12,0	65,5	67,0	5	150
63516FR	50	5	36,1	68,0	13,5	81,5	133,0	5	80
63518FR	63	5	45,4	85,0	17,5	102,5	251,0	1	40
63520FR	75	5	49,9	101,0	19,0	120,0	375,0	1	30
63522FR	90	5	53,3	120,0	19,0	139,0	616,0	1	18
63524FR	110	5	63,0	147,0	21,5	168,5	966,0	1	10
63526FR	125	5	78,0	164,0	21,0	185,0	1340,0	1	5



GOMITO 45° M/F saldatura a bicchiere

ELBOW M/F 45° socket welding


Articolo Item	DN	SDR	A	B	E	G	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	g		
63708FR	20	5	19,5	29,5	13,0	20,0	14,0	10	350
63710FR	25	5	21,5	34,5	15,0	25,0	24,0	10	250
63712FR	32	5	26,5	43,5	17,0	32,0	38,0	5	100



TEE saldatura a bíchiere

TEE socket welding


Articolo Item	DN	SDR	A	B	C	D	E	F	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
64108FR	20	5	41,0	29,5	11,8	53,0	26,5	26,5	22,0	10	250
64110FR	25	5	47,0	34,5	12,8	60,0	30,0	30,0	33,0	10	150
64112FR	32	5	57,0	43,5	13,8	71,0	35,5	35,5	54,0	5	80
64114FR	40	5	69,5	53,5	16,3	86,0	43,0	43,0	99,0	5	100
64116FR	50	5	84,5	68,0	16,5	101,0	50,5	50,5	175,0	5	50
64118FR	63	5	103,5	85,0	18,5	122,0	61,0	61,0	371,0	1	30
64120FR	75	5	103,5	101,0	22,5	146,0	73,0	73,0	540,0	1	25
64122FR	90	5	140,0	120,0	20,0	160,0	80,0	80,0	924,0	1	16
64124FR	110	5	171,0	147,0	23,5	194,0	97,0	97,0	1611,0	1	10
64126FR	125	5	227,0	164,0	38,0	240,0	120,0	120,0	2655,0	1	4



TEE RIDOTTO saldatura a bíchiere

REDUCED TEE socket welding


Articolo Item	DN	SDR	A	B	C	D	E	F	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	mm	mm	g		
64220FR	25-20-20	5	47,0	34,5	12,8	60,0	30,0	30,0	38,0	10	150
64222FR	25-20-25	5	47,0	34,5	12,8	60,0	30,0	30,0	35,5	10	150
64234FR	32-20-25	5	55,0	34,5	18,3	71,0	35,5	33,0	61,0	5	100
64240FR	32-25-32	5	55,0	34,5	18,3	71,0	35,5	33,0	58,0	5	100
64244FR	40-25-40	5	62,0	34,5	25,8	86,0	43,0	35,3	99,0	5	120
64246FR	40-32-40	5	70,0	53,5	16,3	86,0	43,0	43,0	122,5	5	100
64250FR	50-32-50	5	78,0	43,5	28,7	101,0	50,5	44,0	225,0	5	60
64251FR	50-40-50	5	84,5	68,0	17,0	101,0	50,5	50,5	240,0	5	60
64256FR	63-32-63	5	95,0	53,5	43,8	122,0	61,0	52,5	410,0	1	35
64258FR	63-40-63	5	95,0	53,5	43,8	122,0	61,0	52,5	400,0	1	35
64260FR	63-50-63	5	103,5	85,0	18,5	122,0	61,0	61,0	465,0	1	30
64266FR	75-40-75	5	115,5	53,5	46,3	146,0	73,0	64,0	630,0	1	25
64268FR	75-50-75	5	115,5	85,0	30,5	146,0	73,0	70,0	630,0	1	25
64270FR	75-63-75	5	123,5	85,0	30,5	146,0	73,0	70,0	680,0	1	16
64280FR	90-50-90	5	134,0	85,0	37,5	160,0	80,0	74,0	815,0	1	16
64282FR	90-63-90	5	134,0	85,0	37,5	160,0	80,0	74,0	780,0	1	16
64284FR	90-75-90	5	140,0	120,0	20,0	160,0	80,0	80,0	915,0	1	16
64286FR	110-63-110	5	159,5	101,0	46,5	194,0	97,0	85,7	1650,0	1	10
64288FR	110-75-110	5	159,5	101,0	46,5	194,0	97,0	85,7	1620,0	1	10
64290FR	110-90-110	5	171,0	147,0	23,5	194,0	97,0	97,0	1780,0	1	10
64294FR	125-90-125	5	227,0	120,0	62,0	244,0	122,0	104,0	2510,0	1	5
64296FR	125-110-125	5	214,0	147,0	48,5	244,0	122,0	110,0	2560,0	1	5



CROCE saldatura a bíchiere


CROSS socket welding

Articolo Item	DN	SDR	A	B	C	D	Peso Weight	 pezzi pieces	 pezzi pieces
			mm	mm	mm	mm	g		
64308FR	20	5	26,0	29,5	11,3	40,8	29,0	10	400
64310FR	25	5	30,0	34,5	12,8	47,3	37,0	10	300
64312FR	32	5	35,5	43,5	13,8	57,3	67,5	5	150
64314FR	40	5	42,0	53,5	15,3	68,8	114,5	5	80



TAPPO saldatura a bicchiere COVER CAP socket welding

Articolo Item	DN	SDR	A	B	D	Peso Weight		
			mm	mm	mm	g	pezzi pieces	pezzi pieces
65008FR	20	5	14,8	29,5	24,3	11,0	10	500
65010FR	25	5	17,3	34,5	26,5	13,5	10	450
65012FR	32	5	21,8	43,5	35,0	23,0	5	250
65014FR	40	5	26,8	53,5	37,7	45,0	5	350
65016FR	50	5	34,0	68,0	45,6	85,0	5	200
65018FR	63	5	42,5	85,0	55,8	160,0	1	80
65020FR	75	5	50,5	101,0	63,8	180,0	1	80
65022FR	90	5	60,0	120,0	73,3	305,0	1	50
65024FR	110	5	73,5	147,0	87,3	540,0	1	24
65026FR	125	5	82,0	164,0	93,0	860,0	1	12




ATTACCO A SELLA saldatura a bicchiere FUSION OUTLET socket welding

Articolo Item	Ø uscita Ø out-put	per tubo for pipe	X*	Y*	A	B	D	R	Peso Weight		
					mm	mm	mm	mm	g	pezzi pieces	pezzi pieces
650472FR	20	40	500316	50348-50348A	27,0	20,0	20,0	20,0	18,7	10	
650474FR	25	40	500316	50348-50348A	33,0	25,0	21,5	20,0	12,9	10	
650478FR	20	50	500320	50348-50348A	27,0	20,0	20,0	25,0	11,5	10	
650480FR	25	50	500320	50348-50348A	33,0	25,0	21,5	25,0	12,9	10	
650498FR	20	63 75	500340 500348	50348-50348A	27,5	20,0	20,0	34,5	10,9	10	
650500FR	25	63 75	500340 500348	50348-50348A	33,0	25,0	21,5	34,5	12,5	10	
650502FR	32	63 75	500342 500360	50352	43,0	32,0	26,0	34,5	28,8	5	
650556FR	20	90 110 125	500386 500428 500468	50348-50348A	27,0	25,0	20,0	54,0	10,4	10	
650558FR	25	90 110 125	500386 500428 500468	50348-50348	33,0	25,0	21,5	55,0	12,0	10	
650560FR	32	90 110 125	500400 500430 500470	50352	43,0	32,0	26,0	55,0	26,9	5	
650580FR	40	90	500420	50354	53,5	40,0	28,0	45,0	46,0	5	
650582FR	50	90	500422	50356	66,0	50,0	36,0	45,0	93,0	5	
650600FR	40	110	500440	50354	53,5	40,0	28,0	55,0	44,8	5	
650620FR	50	110	500460	50356	66,0	50,0	36,0	55,0	93,0	5	
650622FR	63	110	500462	50358	84,0	63,0	40,0	55,0	161,0	5	
650638FR	40	125	500472	50354	53,5	40,0	28,0	62,5	44,8	5	
650640FR	50	125	500480	50356	66,0	50,0	36,0	62,5	91,4	5	
650660FR	63	125	500500	50358	84,0	63,0	40,0	62,5	165,4	1	


X* Articolo matrice idonea Code
suitable weld-in-saddle

Y* Articolo fresa idonea Code
suitable miller



INNESTO DIRETTO saldatura a bicchiere DIRECT JOINT socket welding


Articolo Item	DN	SDR	A	B	C	D	H	G	Peso Weight		
			mm	mm	mm	mm	mm	mm	g	pezzi pieces	pezzi pieces
65132FR	20x50~400	5	14,8	29,5	10,0	41,2	31,2	20,0	12,5	10	1000
65134FR	25x63~400	5	17,3	34,5	11,0	43,5	32,5	25,0	18,5	10	500
65136FR	32x75~400	5	21,8	43,5	12,0	51,0	39,0	32,0	31,0	5	400
65138FR	40x90~400	5	26,8	53,5	14,0	56,0	42,0	40,0	73,0	5	200



INNESTO DIRETTO FILETTATO FEMMINA saldatura a bicchiere

THREADED DIRECT JOINT FEMALE socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	F mm	G mm	Peso Weight g	pezzi pieces	pezzi pieces
65152FR	F1/2"x50~400	5	18,5	37,0	10,0	47,0	37,0	20,0	33,0	5	200
65154FR	F3/4"x50~400	5	22,0	44,0	11,0	49,0	38,0	25,0	44,0	5	150




INNESTO DIRETTO FUSIO-TECHNIK A DERIVAZIONE SAFETY saldatura a bicchiere

FUSIO-TECHNIK DIRECT JOINT WITH SAFETY DERIVATION socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	F mm	G mm	Peso Weight g	pezzi pieces	pezzi pieces
65170FR	sm16x50~400	5	18,5	37,0	10,0	75,0	37,0	20,0	113,0	5	150
65172FR	sm20x50~400	5	18,5	37,0	10,0	76,2	37,0	20,0	143,0	5	
65174FR	sm26x63~400	5	22,0	44,0	11,0	80,5	38,0	25,0	212,0	5	


sm = Connessione maschio safety Connection male safety



COLLARE A SALDARE saldatura a bicchiere

COLLAR TO WELD socket welding


Articolo Item	DN	SDR	B mm	C mm	D mm	H mm	G mm	I mm	Peso Weight g	pezzi pieces	pezzi pieces
65208FR	20	11	34,2	6,2	38,5	30,0	27,0	28,5	13,5	10	1000
65210FR	25	11	42,2	6,7	41,5	32,0	33,5	34,0	22,0	10	400
65212FR	32	11	52,0	7,5	52,0	40,0	41,0	41,2	37,5	10	300
65214FR	40	11	64,5	8,7	58,5	45,0	50,0	50,5	56,5	5	200
65216FR	50	11	78,0	10,0	64,5	48,5	60,5	63,5	73,5	5	100
65218FR	63	11	97,0	10,0	75,5	56,0	77,5	81,5	135,0	1	50
65220FR	75	11	115,0	15,0	86,0	63,0	91,5	93,5	246,0	1	40
65222FR	90	11	132,0	18,0	98,0	71,0	107,5	110,0	379,0	1	25
65224FR	110	11	155,0	22,0	107,0	75,0	133,0	136,0	556,0	1	16
65226FR	125	11	182,0	25,0	116,0	80,0	156,0	166,0	1000,0	1	12



GIUNTO FILETTATO FEMMINA con sede esagonale saldatura a bicchiere

THREADED JOINT FEMALE with exagonal seat socket welding


Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	G mm	H mm	CH mm	Peso Weight g	pezzi pieces	pezzi pieces
66108FR	F1/2"-20	5	19,3	38,5	15,0	51,0	33,5	10,0	24,0	83,0	10	200
66109FR	F3/4"-20	5	22,3	44,5	15,0	51,0	33,5	10,0	31,0	115,0	10	150
66110FR	F3/4"-25	5	22,3	44,5	16,0	51,0	39,0	10,0	31,0	110,0	10	150
66112FR	F1"-32	5	29,0	58,0	18,5	60,5	43,5	14,5	39,0	235,0	5	80
66114FR	F1 1/4"-40	5	37,0	74,0	22,5	64,5	53,5	14,5	48,0	337,0	5	50
66116FR	F1 1/2"-50	5	39,5	79,0	25,5	67,5	72,0	14,5	56,0	410,0	1	40
66118FR	F2"-63	5	46,5	93,0	27,5	74,5	85,0	16,5	67,0	568,0	1	25
66120FR	F2 1/2"-75	5	58,5	117,0	31,5	85,5	100,0	21,5	88,0	1107,0	1	15



GIUNTO FILETTATO MASCHIO con sede esagonale saldatura a bicchiere

THREADED JOINT MALE with exagonal seat socket welding


Articolo Item	DN	SDR	A	B	C	D	G	H	CH	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
66308FR	M1½"-20	5	19,2	38,5	15,0	67,0	33,5	10,0	22,0	109,0	10	200
66310FR	M¾"-25	5	19,2	38,5	15,0	68,0	33,5	10,0	27,0	141,0	10	150
66311FR	M¾"-20	5	19,2	38,5	15,0	68,0	33,5	10,0	27,0	139,0	10	150
66312FR	M1"-32	5	26,0	52,0	18,5	76,5	43,5	14,5	34,0	226,0	5	70
66314FR	M1¼"-40	5	34,0	68,0	22,5	86,0	53,5	14,5	43,0	387,0	5	50
66316FR	M1½"-50	5	36,5	73,0	25,5	91,5	67,5	14,5	49,0	418,0	5	40
66318FR	M2"-63	5	43,5	87,0	33,5	96,0	85,0	14,0	61,0	570,0	1	20
66320FR	M2½"-75	5	51,5	103,0	39,5	106,0	101,0	14,0	76,0	1010,0	1	20
66321FR	M2½"-90	5	51,5	103,0	37,0	109,0	120,0	15,0	76,0	1080,0	1	15
66322FR	M3"-90	5	65,0	130,0	44,5	119,5	149,0	15,0	91,0	1780,0	1	6
66324FR	M3"-110	5	66,0	130,0	44,5	119,5	149,0	15,0	91,0	1671,0	1	6




GOMITO FILETTATO FEMMINA saldatura a bicchiere

THREADED ELBOW FEMALE socket welding

Articolo Item	DN	SDR	A	B	D	E	G	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	g		
67008FR	F1½"-20	5	32,0	29,5	51,8	25,0	38,0	71,0	10	200
67009FR	F1½"-25	5	32,0	34,5	54,3	26,0	38,0	78,0	10	150
67010FR	F¾"-25	5	37,0	34,5	54,3	26,0	45,0	107,5	10	150
67011FR	F¾"-20	5	37,0	34,5	54,3	26,0	45,0	113,5	10	100
67013FR	F¾"-32	5	48,0	43,5	61,3	26,5	56,0	148,0	5	100






Articolo Item	DN	SDR	A	B	D	E	G	H	CH	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
67014FR	F1"-32	5	48,0	43,5	75,8	28,0	56,0	14,5	39,0	269,0	5	70



GOMITO FILETTATO FEMMINA con staffa saldatura a bicchiere

THREADED ELBOW FEMALE with bracket socket welding

Articolo Item	DN	SDR	A	B	D	E	G	L	F	Peso Weight	pezzi pieces	pezzi pieces
			mm	mm	mm	mm	mm	mm	mm	g		
67108FR	F1½"-20	5	32,0	29,5	51,8	25,0	38,0	55,0	39,0	72,5	10	150
67110FR	F¾"-25	5	37,0	34,5	54,3	25,0	45,0	69,0	48,0	117,0	10	100



TEE FILETTATO FEMMINA saldatura a bicipiede

THREADED TEE FEMALE socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	E mm	F mm	G mm	Peso Weight g	 pezzi pieces	 pezzi pieces
68008FR	20-F $\frac{1}{2}$ "-20	5	62,0	29,5	12,0	51,8	22,3	31,0	38,0	78,0	10	150
68009FR	20-F $\frac{3}{4}$ "-20	5	62,0	29,5	8,5	51,8	22,3	31,0	45,0	104,0	10	100
68010FR	25-F $\frac{3}{4}$ "-25	5	74,0	34,5	14,5	54,3	19,8	37,0	45,0	114,0	10	100
68011FR	25-F $\frac{1}{2}$ "-25	5	69,0	34,5	18,0	54,3	19,8	34,5	38,0	85,0	10	100
68014FR	32-F $\frac{3}{4}$ "-32	5	96,0	43,5	20,0	61,3	17,8	48,0	56,0	170,0	5	50

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	CH mm	Peso Weight g	 pezzi pieces	 pezzi pieces
68016FR	32-F1"-32	5	96,0	43,5	20,0	75,8	17,8	48,0	56,0	14,5	39,0	283,0	5	50


VALVOLA A SFERA saldatura a bicipiede

BALL VALVE socket welding

Articolo Item	DN	SDR	A mm	B mm	C mm	D mm	H mm	I mm	L mm	Peso Weight g	 pezzi pieces	 pezzi pieces
40008FR	20	11	45,0	20,0	51,5	177,0	74,0	30,0	90,0	305,0	5	50
40010FR	25	11	46,0	25,0	54,5	189,0	80,0	36,0	90,0	455,0	5	40
40012FR	32	11	56,0	32,0	65,0	217,0	87,0	46,0	114,0	730,0	1	20
40014FR	40	11	64,5	40,0	63,0	231,0	105,0	55,0	114,0	1070,0	1	15
40016FR	50	11	66,0	50,0	79,0	266,0	108,0	65,0	114,0	1340,0	1	10
40018FR	63	11	82,0	63,0	80,0	276,5	116,5	82,0	146,0	2200,0	1	7

Collettori e pezzi speciali in polipropilene

Manifolds and special fittings made of polypropylene



La soluzione su misura, pratica e sicura

Le sempre più specifiche richieste di mercato e l'eccellenza dei prodotti realizzati in materiale plastico hanno portato **aquatechnik** a realizzare un reparto produttivo specificamente equipaggiato per la produzione di collettori e pezzi speciali realizzati mediante la vasta e completa gamma **fusio-technik** (tubi e raccordi realizzati in PP-R, polipropilene).

A custom-made practical and safe solution

The continuous and specific market demands along with the excellent quality levels of plastic have allowed **aquatechnik** to set up a specifically equipped production department for manifolds and special fittings for the wide and complete **fusio-technik** range (pipes and fittings made of PP-R, polypropylene).

fusio-technik®

